



BRUNSWICK MARINE IN EMEA
FCA Petit-Rechain, Belgium
Duties Included; VAT excluded / included
Effective: August 1st, 2022



Bouwmeester Watersport

DIESEL STERNDRIE PRICE LIST - EURO currency, (Prices Excl. Rigging Kit - To Be Ordered Separately)

Tier III engines price is Engine + Transom (w/o Drive) + Engine Assembly Kit (EAK) - Drives Prices Listed At The Bottom

Engine Description	HP	Emissions	Drive Model	Shift Type	Corrosion Protection	RRP Ex-VAT		RRP incl. VAT	
						Mechanical	DTS	Mechanical	DTS

MD 2.0L TIER III

MD 2.0L 130 HP	130	Tier III	Alpha	Neutral (Manual or DTS)	Standard	24.658	22.146	29.836	26.797
MD 2.0L 150 HP	150	Tier III	Alpha	Neutral (Manual or DTS)	Standard	26.434	23.922	31.985	28.946
MD 2.0L 170 HP	170	Tier III	Alpha	Neutral (Manual or DTS)	Standard	28.192	25.680	34.112	31.073
MD 2.0L 170 HP	170	Tier III	Bravo I X - II X - III X	Neutral (Manual or DTS)	Standard	28.238	25.726	34.168	31.128
MD 2.0L 170 HP - SeaCore	170	Tier III	Bravo I X - II X - III X	Neutral (Manual or DTS)	SeaCore	28.462	25.950	34.439	31.400

MD 3.0L TIER III

3.0L 150HP	150	Tier III	Bravo I X - II X - III X - I XR - II XR - III XR	Neutral (Manual or DTS)	Standard	38.396	38.396	46.459	46.459
3.0L 150HP - SeaCore	150	Tier III	Bravo I X - II X - III X - II XR - III XR	Neutral (Manual or DTS)	SeaCore	38.620	38.620	46.730	46.730
3.0L 230HP	230	Tier III	Bravo I X - II X - III X - I XR - II XR - III XR	Neutral (Manual or DTS)	Standard	38.396	38.396	46.459	46.459
3.0L 230HP - SeaCore	230	Tier III	Bravo I X - II X - III X - II XR - III XR	Neutral (Manual or DTS)	SeaCore	38.620	38.620	46.730	46.730
3.0L 270HP	270	Tier III	Bravo I X - II X - III X - I XR - II XR - III XR	Neutral (Manual or DTS)	Standard	39.536	39.536	47.839	47.839
3.0L 270HP - SeaCore	270	Tier III	Bravo I X - II X - III X - II XR - III XR	Neutral (Manual or DTS)	SeaCore	39.760	39.760	48.110	48.110

Drive Description	Rotation	Ratio			Corrosion Protection	RRP Ex-VAT		RRP incl. VAT	
-------------------	----------	-------	--	--	----------------------	------------	--	---------------	--

ALPHA

ALPHA	Standard	1.47:1 / 1.62:1 / 1.81:1 / 2.00:1			Standard	3.612		4.371	
ALPHA	Counter	1.81:1			Standard	4.026		4.871	

BRAVO I

BRAVO I	Standard	1.50:1 / 1.65:1			Standard	4.176		5.053	
BRAVO I	Standard	1.50:1 / 1.65:1			SeaCore	4.852		5.871	
BRAVO I X	Standard	1.36:1 / 1.50:1 / 1.65:1			Standard	5.078		6.144	
BRAVO I X	Standard	1.36:1 / 1.50:1 / 1.65:1			SeaCore	5.640		6.824	
BRAVO I XR	Standard	1.26:1 / 1.35:1 / 1.50:1			Standard	6.072		7.347	
BRAVO I XR	Standard	1.50:1			SeaCore	6.634		8.027	

BRAVO II

BRAVO II	Standard	2.00:1 / 2.20:1			Standard	4.582,0		5.544,2	
BRAVO II	Standard	2.00:1 / 2.20:1			SeaCore	5.146,0		6.226,7	
BRAVO II X	Standard	1.50:1 / 1.65:1 / 1.81:1 / 2.00:1 / 2.20:1			Standard	5.484,0		6.635,6	
BRAVO II X	Standard	1.50:1 / 1.65:1 / 1.81:1 / 2.00:1 / 2.20:1			SeaCore	5.936,0		7.182,6	
BRAVO II XR	Standard	1.65:1			Standard	6.478,0		7.838,4	

BRAVO III

BRAVO III	Standard	2.00:1 / 2.20:1 / 2.43:1			Standard	4.852		5.871	
BRAVO III	Standard	2.00:1 / 2.20:1 / 2.43:1			SeaCore	5.260		6.365	
BRAVO III X	Standard	1.36:1 / 1.50:1 / 1.65:1 / 1.81:1 / 2.00:1 / 2.20:1 / 2.43:1			Standard	5.754		6.962	
BRAVO III X	Standard	1.36:1 / 1.50:1 / 1.65:1 / 1.81:1 / 2.00:1 / 2.20:1 / 2.43:1			SeaCore	6.048		7.318	
BRAVO III XR	Standard	1.65:1 / 1.81:1 / 2.00:1			Standard	6.750		8.168	
BRAVO III XR	Standard	1.65:1 / 1.81:1 / 2.00:1			SeaCore	7.038		8.516	

JPS (Joystick Piloting for Sterndrive)®

Only for Tier III engines dual installation with Bravo III Drives, Smart Craft and DTS

JPS (KIT 893299125)	18.363 incl. VAT	Steering, Joystick, Autopilot, GPS Antenna + Electronic Compass
		No instrument included. VesselView or VesselView Link or SmartCraft Connect is mandatory and must be ordered separately

Engines and Accessories purchased by Boatbuilders are for the sole intent of installation in a new boat according to Mercury Diesel's technical specifications. Installing these components in an unapproved configuration could result in a warranty voidance.

Pricing Notes:

Specifications and prices are subject to change without notice.

Power Steering is standard on all models.

Digital Throttle and Shift (DTS) is available on Bravo models ONLY.

SeaCore models includes FWC as Standard.

Engine Assembly Kit included in the price is:

Tier III engines

Engine Assembly Kit (EAK) that includes all the component to rig the engine in the engine compartment.

Main components included are:

- VIP box*
- VIP and engine clean power (clean power Tee/harness not included)*
- Vessel sensor harness*
- Throttle potentiometer (NON DTS only)*
- Transom installation parts*
- Seawater intake parts (MD3.0 only)*
- Fuel filter (MD6.7 only)*
- No helm harness, clean power Tee/harness and helm rigging included. Parts needed should be ordered separately*

Specifications and prices are subject to change without notice.

Notes:

RCD I Engines are not sellable on recreational Boats for Europe and USA

For Commercial application to be check according local regulation

Sea Water intake through the hull is mandatory for MD 2.0 with Alpha Drive and all MD 3.0 and MD 4.2

Check available configurations on latest updated file "MerCruiser Salescode Listing" file

Our Ref: SD Diesel/2022/001/BTO Rev. 1 dated 20/07/2022 01/BTO Rev. 1 dated 20/07/2022



Bouwmeester Watersport



BRUNSWICK MARINE IN EMEA
FCA Petit-Rechain, Belgium
Duties Included; VAT excluded / included
Effective: August 1st, 2022



Bouwmeester Watersport

DIESEL INBOARD LIST - EURO currency, (Prices Excl. Rigging Kit - To Be Ordered Separately)

Tier III engines price is Engine + Gearbox (not for Bobtail) + Engine Assembly Kit (EAK - not for Bobtail)

Description	Model	HP	Emissions	Transmission	Ratio	Throttle/Shift	RRP Ex-VAT	RRP incl. VAT
MD 2.0L TIER III								
2.0L 115 HP	Diesel-Standard (12V)	115	Tier III	Bobtail	Bobtail	Neutral (Manual or DTS)	19.492	23.585
2.0L 115 HP	Diesel-Standard (12V)	115	Tier III	TM345 A	1.54:1 / 2.0:1 / 2.47:1	Manual	24.352	29.466
2.0L 115 HP	Diesel-Standard (12V)	115	Tier III	TM345 A Trolling	1.54:1 / 2.0:1 / 2.47:1	Manual	24.632	29.805
2.0L 115 HP	Diesel-Standard (12V)	115	Tier III	ZF 25	2.80:1	DTS	26.206	31.709
2.0L 115 HP	Diesel-Standard (12V)	115	Tier III	ZF 45-1	3.00:1 / 3.74:1	DTS	26.500	32.065
2.0L 115 HP	Diesel-Standard (12V)	115	Tier III	ZF 45-1 PTO A	3.00:1 / 3.74:1	DTS	26.500	32.065
2.0L 130 HP	Diesel-Standard (12V)	130	Tier III	Bobtail	Bobtail	Neutral (Manual or DTS)	19.990	24.188
2.0L 130 HP	Diesel-Standard (12V)	130	Tier III	TM345 A	1.54:1 / 2.0:1	Manual	24.852	30.071
2.0L 130 HP	Diesel-Standard (12V)	130	Tier III	TM345 A Trolling	1.54:1 / 2.0:1	Manual	25.132	30.410
2.0L 130 HP	Diesel-Standard (12V)	130	Tier III	TM485 A	2.40:1	Manual	25.254	30.557
2.0L 130 HP	Diesel-Standard (12V)	130	Tier III	TM485 A Trolling	2.40:1	Manual	25.812	31.233
2.0L 130 HP	Diesel-Standard (12V)	130	Tier III	TM485 A	2.09:1 / 2.40:1	DTS	26.164	31.658
2.0L 150 HP	Diesel-Standard (12V)	150	Tier III	Bobtail	Bobtail	Neutral (Manual or DTS)	21.994	26.613
2.0L 150 HP	Diesel-Standard (12V)	150	Tier III	TM345 A	1.54:1 / 2.0:1	Manual	26.854	32.493
2.0L 150 HP	Diesel-Standard (12V)	150	Tier III	TM345 A Trolling	1.54:1 / 2.0:1	Manual	27.132	32.830
2.0L 150 HP	Diesel-Standard (12V)	150	Tier III	TM485 A	2.09:1 / 2.40:1	Manual	27.256	32.980
2.0L 150 HP	Diesel-Standard (12V)	150	Tier III	TM485 A Trolling	2.40:1	Manual	27.814	33.655
2.0L 150 HP	Diesel-Standard (12V)	150	Tier III	TM485 A	1.51:1 / 2.09:1 / 2.40:1	DTS	28.166	34.081
2.0L 170 HP	Diesel-Standard (12V)	170	Tier III	Bobtail	Bobtail	Neutral (Manual or DTS)	24.170	29.246
2.0L 170 HP	Diesel-Standard (12V)	170	Tier III	TM485 A	1.51:1 / 2.09:1 / 2.40:1	Manual	29.430	35.610
2.0L 170 HP	Diesel-Standard (12V)	170	Tier III	TM485 A Trolling	1.51:1 / 2.09:1 / 2.40:1	Manual	29.990	36.288
2.0L 170 HP	Diesel-Standard (12V)	170	Tier III	TM485 A	1.51:1 / 2.09:1 / 2.40:1	DTS	30.342	36.714
2.0L 170 HP (3000 RPM)	Diesel-Standard (12V)	170	Tier III	ZF 45-1	2.51:1 / 3.00:1 / 3.74:1	DTS	31.734	38.398
2.0L 170 HP (3000 RPM)	Diesel-Standard (12V)	170	Tier III	ZF 45-1 PTO A	2.51:1 / 3.00:1 / 3.74:1	DTS	31.734	38.398
MD 3.0L TIER III								
3.0L 230HP 12V	Diesel-Standard (12V)	230	Tier III	Bobtail	Bobtail	Neutral (Manual or DTS)	32.086	38.824
3.0L 230HP 12V	Diesel-Standard (12V)	230	Tier III	ZF 63*	2.48:1	DTS	39.568	47.877
3.0L 230HP 12V	Diesel-Standard (12V)	230	Tier III	ZF 68	1.75:1 / 2.48:1 / 2.78:1 / 1.93:1	Manual	40.420	48.908
3.0L 230HP 12V	Diesel-Standard (12V)	230	Tier III	ZF 68	1.75:1 / 1.93:1 / 2.48:1 / 2.78:1	DTS	40.438	48.930
3.0L 230HP 12V	Diesel-Standard (12V)	230	Tier III	ZF 63A*	1.21:1 / 2.52:1	Manual	38.732	46.866
3.0L 230HP 12V	Diesel-Standard (12V)	230	Tier III	ZF 63A*	1.21:1	DTS	38.754	46.892
3.0L 230HP 12V	Diesel-Standard (12V)	230	Tier III	ZF 68A	1.21:1 / 1.56:1 / 2.03:1 / 2.52:1 / 2.68:1	Manual	39.494	47.788
3.0L 230HP 12V	Diesel-Standard (12V)	230	Tier III	ZF 68A	1.21:1 / 1.56:1 / 2.03:1 / 2.52:1 / 2.68:1	DTS	39.512	47.810
3.0L 230HP 12V	Diesel-Standard (12V)	230	Tier III	ZF 63IV*	1.56:1	Manual	40.230	48.678
3.0L 230HP 12V	Diesel-Standard (12V)	230	Tier III	ZF 63IV*	1.99:1	Manual	40.230	48.678
3.0L 230HP 12V	Diesel-Standard (12V)	230	Tier III	ZF 63IV*	1.29:1 / 1.56:1 / 1.99:1	DTS	40.276	48.734
3.0L 230HP 12V	Diesel-Standard (12V)	230	Tier III	ZF 68IV	1.56:1 / 1.99:1	Manual	41.818	50.600
3.0L 230HP 12V	Diesel-Standard (12V)	230	Tier III	ZF 68IV	1.29:1 / 1.56:1 / 1.99:1	DTS	41.864	50.655
3.0L 270HP 12V	Diesel-Standard (12V)	270	Tier III	Bobtail	Bobtail	Neutral (Manual or DTS)	32.878	39.782
3.0L 270HP 12V	Diesel-Standard (12V)	270	Tier III	ZF 63*	1.51:1	DTS	40.328	48.797
3.0L 270HP 12V	Diesel-Standard (12V)	270	Tier III	ZF 68	1.51:1 / 1.93:1 / 2.78:1	DTS	41.188	49.837
3.0L 270HP 12V	Diesel-Standard (12V)	270	Tier III	ZF 68	1.93:1 / 1.51:1	Manual	41.198	49.850
3.0L 270HP 12V	Diesel-Standard (12V)	270	Tier III	ZF 63A*	1.21:1 / 2.52:1	Manual	39.504	47.800
3.0L 270HP 12V	Diesel-Standard (12V)	270	Tier III	ZF 63A*	1.21:1	DTS	39.514	47.812
3.0L 270HP 12V	Diesel-Standard (12V)	270	Tier III	ZF 68A	1.21:1 / 1.56:1 / 2.03:1 / 2.52:1 / 2.68:1	Manual	40.262	48.717
3.0L 270HP 12V	Diesel-Standard (12V)	270	Tier III	ZF 68A	1.21:1 / 1.56:1 / 2.03:1 / 2.52:1 / 2.68:1	DTS	40.272	48.729
3.0L 270HP 12V	Diesel-Standard (12V)	270	Tier III	ZF 63IV*	1.29:1 / 1.56:1 / 1.99:1	Manual	41.000	49.610
3.0L 270HP 12V	Diesel-Standard (12V)	270	Tier III	ZF 63IV*	1.29:1 / 1.56:1 / 1.99:1	DTS	41.036	49.654
3.0L 270HP 12V	Diesel-Standard (12V)	270	Tier III	ZF 68IV	1.29:1 / 1.56:1 / 1.99:1	Manual	45.828	55.452
3.0L 270HP 12V	Diesel-Standard (12V)	270	Tier III	ZF 68IV	1.29:1 / 1.56:1 / 1.99:1	DTS	46.528	56.299



Bouwmeester Watersport

Description	Model	HP	Emissions	Transmission	Ratio	Throttle/Shift	RRP Ex-VAT	RRP incl. VAT
6.7L TIER III								
6.7L 480HP 12V	Diesel-Standard (12V)	480	Tier III	Bobtail	Bobtail	DTS	53.358	64.563
6.7L 480HP 12V	Diesel-Standard (12V)	480	Tier III	ZF 85IV	1.64:1 / 2.00:1 / 2.49:1	DTS	68.798	83.246
6.7L 480HP 24V	Diesel (24V)	480	Tier III	Bobtail	Bobtail	DTS	54.166	65.541
6.7L 480HP 24V	Diesel (24V)	480	Tier III	ZF 85IV	1.64:1 / 2.00:1 / 2.49:1	DTS	69.606	84.223
6.7L 480HP 24V	Diesel (24V)	480	Tier III	ZF 280-1	1.21:1	DTS	68.260	82.595
6.7L 500HP 12V	Diesel-Standard (12V)	500	Tier III	Bobtail	Bobtail	DTS	55.794	67.511
6.7L 500HP 12V POD	Diesel-Standard (12V)	500	Tier III	Bobtail	Bobtail	DTS	59.492	71.985
6.7L 500HP 12V	Diesel-Standard (12V)	500	Tier III	ZF 280-1	1.00:1 / 1.51:1 / 2.00:1	DTS	69.802	84.460
6.7L 500HP 12V	Diesel-Standard (12V)	500	Tier III	ZF 280-1 Trolling	1.00:1 / 1.51:1 / 2.00:1	DTS	72.342	87.534
6.7L 500HP 12V	Diesel-Standard (12V)	500	Tier III	ZF 280-1A	1.48:1 / 2.00:1	DTS	70.196	84.937
6.7L 500HP 12V	Diesel-Standard (12V)	500	Tier III	ZF 280-1A Trolling	1.48:1 / 2.00:1 / 2.48:1	DTS	72.734	88.008
6.7L 500HP 12V	Diesel-Standard (12V)	500	Tier III	ZF 280IV	1.56:1 / 2.06:1 / 2.55:1	DTS	74.596	90.261
6.7L 500HP 12V	Diesel-Standard (12V)	500	Tier III	ZF 280IV Trolling	1.56:1 / 2.06:1 / 2.55:1	DTS	77.136	93.335
6.7L 500HP 24V	Diesel (24V)	500	Tier III	Bobtail	Bobtail	DTS	56.602	68.488
6.7L 500HP 24V POD	Diesel (24V)	500	Tier III	Bobtail	Bobtail	DTS	60.300	72.963
6.7L 500HP 24V	Diesel (24V)	500	Tier III	ZF 280-1	1.00:1 / 1.51:1 / 2.00:1	DTS	70.612	85.441
6.7L 500HP 24V	Diesel (24V)	500	Tier III	ZF 280-1 Trolling	1.00:1 / 1.51:1 / 2.00:1	DTS	73.152	88.514
6.7L 500HP 24V	Diesel (24V)	500	Tier III	ZF 280-1A	1.48:1 / 2.00:1	DTS	71.006	85.917
6.7L 500HP 24V	Diesel (24V)	500	Tier III	ZF 280-1A	2.48:1	DTS	77.174	93.381
6.7L 500HP 24V	Diesel (24V)	500	Tier III	ZF 280-1A Trolling	1.48:1 / 2.00:1	DTS	73.544	88.988
6.7L 500HP 24V	Diesel (24V)	500	Tier III	ZF 280IV	1.56:1 / 2.06:1 / 2.55:1	DTS	75.406	91.241
6.7L 500HP 24V	Diesel (24V)	500	Tier III	ZF 280IV Trolling	1.56:1 / 2.55:1 / 2.06:1	DTS	77.946	94.315
6.7L 550HP 12V	Diesel-Standard (12V)	550	Tier III	Bobtail	Bobtail	DTS	61.964	74.976
6.7L 550HP 12V POD	Diesel-Standard (12V)	550	Tier III	Bobtail	Bobtail	DTS	65.662	79.451
6.7L 550HP 12V	Diesel-Standard (12V)	550	Tier III	ZF 280-1	1.00:1 / 1.51:1 / 2.00:1	DTS	75.680	91.573
6.7L 550HP 12V	Diesel-Standard (12V)	550	Tier III	ZF 280-1 Trolling	1.00:1 / 1.51:1 / 2.00:1	DTS	78.242	94.673
6.7L 550HP 12V	Diesel-Standard (12V)	550	Tier III	ZF 280-1A	1.48:1 / 1.77:1 / 2.00:1	DTS	76.072	92.047
6.7L 550HP 12V	Diesel-Standard (12V)	550	Tier III	ZF 280-1A Trolling	1.48:1 / 2.00:1	DTS	78.634	95.147
6.7L 550HP 12V	Diesel-Standard (12V)	550	Tier III	ZF 280IV	1.56:1 / 1.77:1 / 2.06:1 / 2.55:1	DTS	80.474	97.374
6.7L 550HP 12V	Diesel-Standard (12V)	550	Tier III	ZF 280IV Trolling	1.56:1 / 2.06:1 / 2.55:1	DTS	83.036	100.474
6.7L 550HP 24V	Diesel (24V)	550	Tier III	Bobtail	Bobtail	DTS	62.772	75.954
6.7L 550HP 24V POD	Diesel (24V)	550	Tier III	Bobtail	Bobtail	DTS	66.470	80.429
6.7L 550HP 24V	Diesel (24V)	550	Tier III	ZF 280-1	1.00:1 / 1.51:1 / 2.00:1	DTS	76.490	92.553
6.7L 550HP 24V	Diesel (24V)	550	Tier III	ZF 280-1 Trolling	1.00:1 / 1.51:1 / 2.00:1	DTS	79.052	95.653
6.7L 550HP 24V	Diesel (24V)	550	Tier III	ZF 280-1A	1.48:1 / 2.00:1	DTS	76.884	93.030
6.7L 550HP 24V	Diesel (24V)	550	Tier III	ZF 280-1A Trolling	1.48:1 / 2.00:1	DTS	79.444	96.127
6.7L 550HP 24V	Diesel (24V)	550	Tier III	ZF 280IV	1.56:1 / 2.06:1 / 2.55:1	DTS	81.284	98.354
6.7L 550HP 24V	Diesel (24V)	550	Tier III	ZF 280IV Trolling	1.56:1 / 2.06:1 / 2.55:1	DTS	83.844	101.451

Engines and Accessories purchased by Boatbuilders are for the sole intent of installation in a new boat according to MerCruiser's technical specifications. Installing these components in an unapproved configuration could result in a warranty voidance.

Pricing Notes:

Specifications and prices are subject to change without notice.

Seawater intake components (seacock, valve, barbed fittings, ...) are not included

Engine Assembly Kit included in the price is:

Tier III engines Engine Assembly Kit (EAK) that includes all the component to rig the engine in the engine compartment. Main components included are:

- VIP box
- VIP and engine clean power (clean power Tee/harness not included)
- Vessel sensor harness
- Throttle potentiometer (NON DTS only)
- Fuel filter (MD6.7 only)
- No helm harness, clean power Tee/harness and helm rigging included. Parts needed should be ordered separately

Specifications and prices are subject to change without notice.

Notes:

RCD I Engines are not sellable on recreational Boats for Europe and USA

For Commercial application to be check according local regulation

For commercial applications IMO certification is not required for power below 130 kW (174 hp)

On Tier 3 engines (MD2.0 Tier 3, TD13.0 and TD14.2) trolling valve is NOT available with DTS ERC

** Check for transmission availability, otherwise switch to ZF 68 model*

Check available configurations on latest updated file "MerCruiser Salescode Listing" file

Our Ref: IB Diesel/2022/001/BTO Rev. 1 dated 20/07/2022 1 20/07/2022

Bouwmeester Watersport
Binnendams 40
3373 AD Hardinxveld-Giessendam
0184-615178

www.bouwmeesterwatersport.nl